

## MATERIAL SAFETY DATA SHEET

**PRODUCT NUMBER:** R896A **ISSUE DATE:** 05-28-2010

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Number: R896A

COMPANY ADDRESS: Wisdom Adhesives

1575 Executive Drive Elgin, IL 60123

Phone: (847) 841-7002 Fax: (847) 841-7009

Contact: Material Safety Data Sheet Coordinator

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Not considered as hazardous.

Color: White Slight Odor

EYE: Slight/mild irritant

SKIN CONTACT: Repeated or prolonged skin contact may result in mild irritation

INHALATION: Vapor or aerosol, if generated, can cause irritation of the eyes, nose and respiratory

tract

INGESTION: Ingestion may cause irritation of the gastrointestinal tract

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL FAMILY: polyvinyl acetate adhesive

COMPONENT CAS NUMBER CONCENTRATION

(% by weight)

None classified as hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200)

## 4. FIRST-AID MEASURES

EYE: Irrigate with eyewash solution or clean water until pain is relieved. Obtain medical

attention.

SKIN CONTACT: Wash skin with soap and water. If symptoms develop, obtain medical attention.

INHALATION: Remove to fresh air. Get medical attention if irritation persists.

INGESTION: Treat symptomatically and supportively. Get medical attention, DO NOT attempt to

give anything by mouth to an unconscious person.

5. FIREFIGHTING MEASURES

AUTOIGNITION: Not available FLASH POINT: > 212 °F

EXTINGUISHING MEDIA: Water spray or fog, CO2, dry chemical; Foam

SPECIAL FIREFLIGHTING Fire fighters should be equipped with self-contained breathing apparatus to protect

PROCEDURES: against potentially toxic and irritating fumes.

FIRE & EXPOLSION HAZARDS: This is a water-based product and presents no particular fire or explosion hazard.

Dry polymer film will burn. Product contains low level of organic volatiles which may

be emitted at elevated temperatures.

HAZARDOUS COMBUSTION

PRODUCTS:

Carbon monoxide, carbon dioxide, unknown hydrocarbons.

LOWER EXPLOSION LIMIT (%): Not applicable UPPER EXPLOSION LIMIT (%): Not applicable

#### 6. ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK PROCEDURES: Absorb spillages onto sand, earth or any suitable absorbent material. Sweep up

and shovel into waste drums. Wash the spillage area with water. Washings must be prevented from entering surface water drains. Disposal should be in accordance

with local, state and national legislation.

For safety and environmental precautions, please review entire Material Safety Data Sheet for necessary information

#### 7. HANDLING AND STORAGE

STORAGE TEMPERATURE: 40 - 100°F

HANDLING/STORAGE: Avoid extreme temperatures. Protect from freezing. This material should not be

spilled, discharged or flushed into sewers or public waterways. Product contains low level or organic volatiles which could accumulate in the unvented headspace of drums or bulk storage vessels. Open drums in well ventilated areas. Avoid

breathing vapors.

SENSITIVITY TO STATIC ELECTRICITY:

SENSITIVITY TO MECHANICAL

None IMPACT:

#### 8. EXPOSURE CONTROL/PERSONAL PROTECTION

**VENTILATION REQUIREMENTS:** None required if good ventilation is maintained.

None

EYE PROTECTION REQUIREMENTS: Wear safety glasses with side shields. Protect against splashing.

**GLOVE REQUIREMENTS:** The use of chemically resistant gloves is recommended.

Uniforms, coveralls, or a lab coat should be worn. Rubber boots and apron if **CLOTHING REQUIREMENTS:** 

exposure is severe.

CHANGE/REMOVAL OF CLOTHING: Remove contaminated clothing and launder before reuse. WASH REQUIREMENTS: Wash before eating, drinking, or using toilet facilities.

RESPIRATOR REQUIREMENTS: None required under normal handling conditions. Use NIOSH approved respirator

is vapor or mist levels are irritating.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Liquid COLOR: White ODOR: Slight

PH AS IS: Approximately 4-6

**BOILING POINT:** >212°F.

MELTING/FREEZING POINT: Approximately 32°F

SOLUBILITY IN WATER: Miscible

SPECIFIC GRAVITY: Approximately 1.1 % NON VOLATILES: Approximately 52 %/wt

#### 10. STABILITY AND REACTIVITY

STABILITY: Stable

MATERIALS TO AVOID: Strong oxidizers, Materials that react with water

HAZARDOUS POLYMERIZATION Hazardous polymerization will not occur.

CONDITIONS:

#### 11. TOXICOLOGICAL INFORMATION

ROUTE OF ENTRY: Eye Contact; Skin Contact; Inhalation; Ingestion

CARCINOGEN **NTP IRAC** OSHA Substance (group) Specific Regulation

COMPONENT:

There is no evidence that this product poses a carcinogenic risk under normal conditions of handling and use.

PRODUCT INFORMATION:

Unlikely to cause harmful effects under recommended conditions of handling and

use.

# ACUTE (SHORT TERM) EFFECTS OF EXPOSURE CHRONIC (LONG TERM) EFFECTS OF EXPOSURE:

EFFECTS OF CHRONIC EXPOSURE: The toxicological properties of this product have not been fully evaluated. Use of good industrial hygiene practices is required. Avoid direct contact with skin or eyes. Do not inject or inhale.

TARGET ORGANS: Not applicable.

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:**No data is available. **Environmental Fate:**No data is available.

## 13. DISPOSAL CONSIDERATIONS

To the best of our ability, this product does not meet the definition of hazardous waste under US EPA Hazardous Waste Regulations 40CFR261. Disposal via at an approved facility is recommended. Consult state, local or provincial authorities for more restrictive requirements.

#### 14. TRANSPORTATION INFORMATION

Consult Bill of Lading for transportation information.

**DOT:** Not Regulated **IATA:** Not Regulated

#### 15. REGULATORY INFORMATION

## **TSCA Inventory Status and TSCA Information:**

This material or its components are listed on or are in compliance with the requirements of the TSCA Chemical Substance Inventory.

#### TSCA 12 (B) Export Notification:

This material does not contain any TSCA 12 (b) regulated chemicals.

## **CERCLA Regulated Chemicals:**

This material does not contain any CERCLA regulated chemicals.

#### SARA 302 EHS Chemicals:

This material does not contain any SARA extremely hazardous substances.

## SARA 311/312 Hazard Class:

This product does not present any SARA 311/312 hazards.

## SARA 313 Chemicals

This material does not contain any SARA 313 chemical above de minimus levels.

#### 16. OTHER INFORMATION

#### **HMIS® Hazard Ratings**

Health	Flammability	Reactivity
1	0	0

#### PREPARED BY: MSDS COORDINATOR

The information given above is based on our best knowledge, and is believed it to be true and accurate. No guaranty of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes. Please read the entire product bulletin along with our conditions of sale which apply to all goods supplied by us. Wisdom Adhesives assumes no responsibility for the use of these statements, recommendations or suggestions, nor do we intend them as a recommendation for any use, which would infringe any patent or copyright.